A.G. CONTRACT NO. 86-170

Project: F-04 Section: Knox

F-045-1(5)

Knox Rd. - Baseline Rd.

Unit I

### INTERGOVERNMENTAL AGREEMENT

BETWEEN

THE STATE OF ARIZONA

AND

THE CITY OF CHANDLER

NO. 10993

FILED WITH SECRETARY OF STATE

Date Filed 3

-Secretary of State

THIS AGREEMENT entered into this  $\underline{ABCH}$  day of  $\underline{MARCH}$ , 19 $\underline{SB}$ , between the STATE OF ARIZONA, acting by and through its DEPARTMENT OF TRANSPORTATION, hereinafter called "State", and the City of Chandler, acting by and through its City Council, hereinafter called "City".

WHEREAS, State is empowered by Section 28-108 Arizona Revised Statutes to enter into this agreement and has, by resolution, a copy of which is attached hereto and made a part hereof, resolved to enter into this Agreement and the Director of the Arizona Department of Transportation has delegated to the undersigned the authority to execute same on behalf of State; and

WHEREAS, City is empowered by Sections 11-951 through 11-954, Arizona Revised Statutes, and by Article I. Section 1.03, of the Charter for the City of Chandler, to enter into this agreement and acting by and through its City Council, has, by resolution, a copy of which is attached hereto and made a part hereof, resolved to enter into this agreement and has authorized

the undersigned to execute same on behalf of City; and

WHEREAS, it is desired by City, and is acceptable to State, to increase the esthetic appearance of that portion of State Route 87 situated between Knox Road and Elliot Road in the City of Chandler; and

WHEREAS, the desired improvement may be accomplished by the installation of decorative pavement in the highway median; and

WHEREAS, the cost of installing said decorative pavement in the section of highway situated between Knox Road and Elliot Road will be \$193,545 including State's engineering and construction administration costs.

NOW, THEREFORE, the parties hereto agree as follows:

#### STATE SHALL:

- 1. During construction of the Arizona Avenue improvement project on that portion of S.R. 87 situated between Knox Road and Elliot Road, prepare the median and install therein decorative pavement in accordance with Arizona Department of Transportation plans for Project F-045-1(4).
- 2. Within ten (10) days following start of construction on said decorative paving, submit to City a bill for 50% of the cost of said median paving, which said total cost includes 15% for State's engineering and construction administration expenses.
- 3. Upon completion of said paving job, submit to City a bill for the balance due for said decorative paving.

#### CITY SHALL:

- 1. Upon receiving the aforesaid bills from State, pay same within thirty (30) days.
- Upon completion of said paving project and acceptance of same
   from State, maintain said median and provide any required future maintenance
   and repairs.

The parties hereto further agree that:

To the extent permitted by law, State and City agree to defend, indemnify and hold harmless each other and their agents, officials, employees and subsidiaries, from and against any and all claims, actions, demands, liability, damage, cost and expense of whatsoever character, whether direct or indirect, or consequential, including loss or damage to property of either party hereto or of their persons and for the injury or death to any or all persons caused by or attributable to the negligence or fault of the State or City, their employees or agents. As to any liability claims, the parties agree that they will share in any settlement or judgment in the amount proportionate to the degree of negligence or fault of the respective parties as adjudicated by a court of competent jurisdiction.

THIS AGREEMENT shall remain in full force and effect until completion of said project as aforesaid, except as to those provisions pertaining to maintenance which shall be in perpetuity; provided, however, that prior to start of construction, this agreement may be cancelled by either party upon 30 days' written notice to the other party.

All parties hereto acknowledge that this agreement is subject to cancellation by the Governor pursuant to the provisions of Section 38-511, Arizona Revised Statutes.

In the event of any controversy which may arise out of this agreement, the parties hereto agree to abide by required arbitration as is set forth for public works contracts in Section 12-1518 (B) and (C) of Arizona Revised Statutes as amended.

This agreement shall become effective on the date of filing same with the Secretary of State.

Attached hereto and incorporated herein by reference is a copy of State's resolution authorizing entry into this agreement, a copy of City's resolution passed by its City Council, a copy of the written determination of the appropriate attorney that City is authorized under the laws of this State to enter into this agreement, and that said agreement is in proper form, and a copy of the Attorney General's Intergovernmental Agreement Determination.

IN WITNESS WHEREOF, the parties have executed this agreement the day and year first above written.

CITY OF CHANDLER, a mun/cipal

corporation

ATTEST

STATE OF ARIZONA

ARIZONA DEPARTMENT OF TRANSPORTATION

State Engineer

PROJECT: F-045-1(5)

SECTION: KNOX ROAD - BASELINE ROAD

UNIT I

#### RESOLUTION

BE IT RESOLVED on this 23 RD day of DECEMBER, 19 55, that I, CHARLES L. MILLER, as Director, ARIZONA DEPARTMENT OF TRANSPORTATION, have determined that it is in the best interests of the State of Arizona that the DEPARTMENT OF TRANSPORTATION, acting by and through the Highways Division, to enter into an Intergovernmental Agreement with the City of Chandler for the purpose of installing Bomacon paving in the 12 foot median section of State Route 87 situated between Knox Road and Elliot Road.

THEREFORE, authorization is hereby given to draft said

Agreement which, upon completion, shall be submitted for

approval and execution by the State Engineer.

CHARLES L. MILLER, Director

Arizona Department of

Transportation

JDC:ks

### RESOLUTION NO. 1415

A RESOLUTION OF THE CITY COUNCIL OF THE CITY OF CHANDLER AUTHORIZING EXECUTION OF AN AGREEMENT WITH ARIZONA DEPARTMENT OF TRANSPORTATION FOR INSTALLATION OF DECORATIVE MEDIAN IN AFTERWARD AVENUE.

WHEREAS, it is desired by the City of Chandler, hereinafter called CITY, and is acceptable to the Arizona Department of Transportation, hereinafter called STATE, to increase the esthetic appearance of that portion of State Route 87 known as Arizona Avenue situated between Knox Road and Elliot Road in the City of Chandler; and

WHEREAS, the desired improvement may be accomplished by the installation of decorative pavement in the highway median; and

WHEREAS, the cost of installing said decorative pavement in the section of highway situated between Knox Road and Elliot Road will be \$193,545 including STATE'S engineering and construction administration costs;

NOW, THEREFORE, BE IT RESOLVED by the Council of the City of Chandler, Arizona, as follows:

- 1. That the terms of the Intergovernmental Agreement Between the State of Arizona and the City of Chandler for Project F-045-1(5) are hereby approved; and
- 2. That the Mayor is hereby authorized to execute said Agreement.

PASSED AND APPROVED by the City Council of the City of Chandler, Arizona, this /3 th day of Sebreary, 1986.

ATTEST:

MAYOR

DEPUTY CITY CLERK

CERTIFICATION

I HEREBY CERTIFY that the above and foregoing Resolution No. 1415 was duly approved, passed and adopted by the City Council of the City of Chandler, Arizona, at a regular meeting held on the <a href="#regular-right">/3 d.</a> day of <a href="#regular-right">Telurary</a>, 1986, and that a quorum was present thereat.

DEPUTY CITY CLERK

APPROVED AS TO FORM:

CITY ATTORNEY

#### INTERGOVERNMENTAL AGREEMENT

#### DETERMINATION

The Intergovernmental Agreement between the City of Chandler and the State of Arizona for installation of decorative paving in the highway median of State Highway 87 between Knox Road and Elliot Road in the City of Chandler, has been reviewed pursuant to A.R.S. Sections 11-951 through 11-954 and Article I, Section 1.03 of the Charter for the City of Chandler by the undersigned City Attorney who has determined that it is in the proper form and is within the powers and authority granted to the City of Chandler and its agencies under applicable laws of the State of Arizona.

Dated this 4th day of February, 1986.



## Attorney General

1275 WEST WASHINGTON

Phoenix, Arizona 85007 Robert K. Corbin

### INTERGOVERNMENTAL AGREEMENT

#### DETERMINATION

A. G. Contract No. 86-170, which is an agreement between public agencies, has been reviewed pursuant to A.R.S. § 11-952, as amended, by the undersigned Assistant Attorney General who has determined that it is in the proper form and is within the powers and authority granted to the State of Arizona.

No opinion is expressed as to the authority of the remaining parties, other than the State or its agencies, to enter into said agreement.

DATED this 19 day of March

1986

ROBERT K. CORBIN Attorney General

Assistant Attorney General Transportation Division

2018G

JCT I-10-MESA HWY. KNOX RD - BASELINE RD. UNIT I MARICOPA COUNTY CAUTION: 45'Lt Existing Buried Telephone Cable 58'Lt Sto 142 New 12"\* 60'. See New Pipe For Turnout See Detoil ( 140 135 Droinoge Eosement Existing RIV New RIW



REGION STATE PROJECT NO SHEET COTAL LAIZ F 045-1(4) 19 35

Ē


1'x 65' TCE		
ert y Sheet es,	STA 144 + 72.90 END PROJECT F-045-1(4)	150
3 Exercise RIII		


Survey & Construction & POT Sto 145 -62.59 Angle Pt Find 3" Bross Cop in H. H. 6 = 0°06'17" Rt To Remoin

> Sq Yd. New 8" Dec. Conc. Median Paving.
> Eoch & Inlet, See Detail A
> Sq Ft New 5 Conc Sidewolk, Std. C-05.20
> So Ft New 6" Conc Oriveway, Std. C-05.20
> Lin Ft New Type A Corb & Gutter
> H=7", Std. C-05.10
> Sq Yd New AC Oriveway 953 4645 200 969 121

F-045-1(4) 19 of 35

JCT. I-IO-MESA HWY. KNOX RD.-BASELINE RD. UNIT I MARICOPA COUNTY





est contenting to september the training of the I mean consequences have to

and a service and a service of the s

TO ACCOMPANY ADDENDUM No.1




PEG ON	STATE	PROJECT NO	S-FE*	SHEFTS	AS BULT
9	ARIZ	F045-1(4)	/7	35	

. 130	<u>85</u>
21180 1000 PM	15 Dramope Fosement
	Non R/W

2000 Sq. Yd. New 8" Dec. Conc. Median Paving.
5 Eoch & Inlet, See Detail A
6360 Sq.Ft New 5' Conc. Sidewolk, Std. C-05.20
100 Sq.Ft New 6" Conc. Drivewoy, Std. C-05.20
1292 Lin Ft New Type 'A' Curb & Gutter
H=7", Std. C-05.10
49 Sq.Yd New AC Drivewoy

JCT. I-IO-MESA HWY. KNOX RD.-BASELINE RD. UNIT I MARICOPA COUNTY



TO ACCOMPANY ADDENDUM No.1

- 1



FAWA STATE	PROJECT NO	SHFET	TOTAL	AS BUILT
PEGION			3	
9 ARIZ	F045-1(4)	15	35	

· Concrete 'ion Ditch	tined un		7 02
			tino RIM
		Existing Rife.	New RIW 15 Drainage Lasement
	New 5' Sidewolk	Survey & Construction & Pe Angle Pt Find I" Iron Pin I D = 0°11'39"Lt New Survey Manument, Fra See Std C-21.10	nT Sto 119 + 08, 88 on Concrete

Sq. Yd. New 8" Dec. Conc Median Paving.

Each Dinlet, See Detail A

Loch New Wheelchoir Romps, See Detail, B

Sq. Ft New 5' Conc Sidewolk, Std. C-05.20

Sq. Ft New 6" Conc Orivenay, Std. C-05.20

Lin Ft New Type A' Corb & Gutter

H = 7", Std. C-05.10

Sq. Yd New AC Oriveway 13310 600 1643

Lynn Harne Sugar


F-045-1(4)

2000

JCT. I-IO-MESA HWY. KNOX RD.-BASELINE RD. UNIT I MARICOPA COUNTY



المستعدد الدام فيك فيعلى ومقاط فطوال والدامة



TO ACCOMPANY ADDENDUM No.1

\_ 🗸

The file

FHWA	STATE	PPOUSCT NO	SHFET	TOTAL	TAILB ZA
REGION			75		
9	ARIZ	F 045-1(4)	13	<u> 35 </u>	

Lt Sto 98+60 Existing Well 105 ure Gos Line


1269 Sq. Yd. New 8" Dec. Conc. Median Paving.
5 Each ( Inlet, See Detail A
3 Each New Wheelchair Ramps, See Detail B
10061 Soft New 5 Conc Statewolk, Stat. C-05.20
1400 Soft New 6"Conc Oriveway, Stat. C-05.20
2410 Linft New Type A Curb & Gutter
H=7", Stat. C-05.10
196 Sq. Yd. New AC Oriveway

7 F-U45-1(4) 13 of 35

JCT. I-IO-MESA HWY.


KNOX RD.-BASELINE RD. UNIT I

MARICOPA COUNTY



80 New 10' x 55 73 87 80'Rt Sto 82r New 12" × 40', See New Pipe: For Turnout Pri See Sheat 10

ACCOMPANY ADDENDUM No. 1    Super   State   PRC.ECT NC   Super   TOTAL   AS BUILT
Remove & Replace using Inlet & Appron 60'Lt Sto 83 + 82 60'Lt Sto 33 + 13 New 12" x 44' Pipe Culvert New 12" x 44' Pipe Culvert See New Pipe Summary Sheet See New Pipe Summary Sheet For Turnout Profiles, For Turnout Profiles,
OU IT STO 69 * 62 See Detail A  New 12" x 44" Pipe Culvert New 16 Lin ft Sow Cut  New 12" x 44" Pipe Culvert 'For Turnout Profiles,  See New Pipe Summary Sheet See Detail C  For Turnout Profiles,
See New Pipe Summory Sheet See Detail C
See Detail C  Lt Sto 86+60 Existing Curb, Suffer & Sidewalk  Remove & Replace using O Inlet & Appron
See Detail A New Is First Son Cut
1 Non Pin State of A State of Pin State of P
New F
Solution   State   S
'ulvert ory Sheet
1883 Sq Yd. New 8" Dec. Conc. Median Paving.  12 Each Inlet, See Detail A 9170 Sq Ft New 5 'Conc Sidewolk, Std. C-05.20 1660 Sq Ft New 6 "Conc Oriveway, Std. C-05.20 2166 Lin Ft New Type A' Curb & Gutter H=7", Std. C-05.10 856 Sq Yd New AC Oriveway
7 F-045-1(4) 11 of 35



FHWA STATE PROJECT NO SHEET TOTAL AS BUILT COMPANY ADDENDUM No. 1 F 045-1(4) 35 ARIZ 9 Z Ut Sto 67+65 to 7/+72 Hold Outside Edge of Retention Bosin of 64" Gutter ! Sidewolk oloce using See Detoil A 60'Lt Sto 71+90 New 12"x 44' Pipe Culvert See New Pipe Summory Sheet L SON CUF ting Irrigation Ditch 23 2 For Turnout Profile, Remain See Detoil C A TEXT ( TEXT ( TEXT) **2** with the same and 7 Sto 70+94 60 Rt 5to 74 + 93 12"x 54' Pipe Culvert New 12"x42 Pipe Culvert Yen Pipe Summory Sheet See New Pipe Summory Sheet urnout Profiles. For Turnout Profiles, retail C See Detoil C 60' Rt Sto 73+72 New 12" \* 44' Pipe Culvert See New Pipe Summory Sheet 60'Rt Sto 72+92 For Turnouts Profiles New 12" x 44 Pipe Culvert See Detoil C See New Pipe Summary Sheet For Turnout Profiles, Sq.Yd. New 8"Dec. Conc. Median Paving. 920 Soft New 6 Dec. Conc. Heddin Faring.

Coch De Inlet, See Detail A

Soft New 6 Conc Sidewolk, Std. C-05.20


Soft New 6 Conc Drivewoy, Std. C-05.20


Lin Ft New Type A Curb & Gutter

H = 7", Std. C-05.10 See Detail C 5595 715 1202 SO YO New AC Drivewoy 350


F-095-1(9) 9 of 35

### JCT. I-IO - MESA HWY KNOX RD. - BASELINE RD. UNIT I MARICOPA COUNTY







TANGENT SECTION OF CURB & GUTTER
RAMP DETAIL TYPE 3



SECTION A-A



DECORATIVE PAVII




Stamp Pattern

Color

#### RAMP NOTES

- I. The entire area within the access ramp including top of curb shall be a coarse broom finish
- Bottom of ramp shall be same elevation as gutter.
- 3. Stope ramp up from flow line at face of curb
- 4. All ramps shall be class B concrete.
- 5. X and W are measured on back of curb.
- 6. Saw cut existing sidewalk, curb and gutter.
- 7. Ramp slope = 12 | Maximum, 8 | Minimum
- R. Radius as per plans.
- W = 4'
- $X = 4^{t}$ Minimum or width of adjacent joints.
- Y. = New or existing width of sidewalk as per plans.



Station A!	Dimension 'B.'	Traffic Direction.
66+83.00*	100'	South bound.
91+95.00	250'	North bound.
93+15.00	250'	South bound.
144 +72 .90	250'	North bound.

### LEFT TURN BAY DETAIL

\*Note: Sawcut and remove existing pavement to a depth of 15" and vidth of 18", between Sta. 66+83 and Sta. 67+00. Payment for this work is included under the item "Roadway Excavation."


N CRETE MEDIAN DETAIL


ute Setts


1 Tile

DETAIL









SECTION NO. 5

CAUPLING NO 121

20"Total Thickness
SECTION NO. 4

PAVEMENT STRUCTURAL SECTIONS

A NOTE:


See Special Provi

#### **ACCOMPANY** ADDENDUM No. 1





i						
	REGION	STATE	PROJECT NO.	SHEET	TOTAL	AS BUILT
	3	AR:Z	F-045-1(4)	3	3.5	





\*Includes Gnd Compaction






Rt 519 105+00 to 119+00 Rt Sto 132+35 to 140+00


F-045M1 (1)


FRENCH DRAIN DETAILS






				-			-
i	F, H W. A. REGION	STATE	PROJECT NO	SHEET	TOTAL		7
-	9	18:Z	F-045-114)	12	SHEETS.	AS BUILT	-
1	•						1
1							





OR+51081+791082+37=6"



AL TURNOUT SECTION

# LENGTH OF PROJECT

Sto 67+00 to Sto 144+72.90 = 7772.90'

Net and Grass Length = 1.47 Miles

Mile Post 168.27, to Mile Post 169.74

## INDEX OF SHEETS

	OUCE 12
Sheet No.	Sheet Type
/	Foce Sheet
2	Design Sheet
.3	Typical Sheet
4-1	Special Detail Sheate
	PIPE SUMMORU Sheet
	Plan & Profile Sheate
4/	tarthwork Sheet
	Troffic Sheets
2, 29	S.R.P. Sheets

## GENERAL NOTES

The roodway plans for this project have been designed utilizing the 1983 Construction Standard Drawings (C. Series) and current revisions.

The project roodway will be striped by Department forces in accordance with the current edition of the Povement Marking Standards

Right of Way encroochments shall be removed by order of the Store, unless otherwise noted.

All Right of Way provisions shall be complied with before job occeptance.

Right of Way Morkers shall be furnished and placed by the contractor as directed by the Engineer. Std C-21.10.

For Right of Way information not shown see R/W project

Bench Morkers will be furnished by the State and placed by the contractor. Std. C-21.20

Any adjustment to drive ways shall be approved by the Engineer and Highway Plans Services.

Dilet Location, See Detail A